

Question 1

What does BBV stand for?

- A. Blood Based Virus
- B. Blood Borne Viruses
- C. Basic Blood Viruses

Question 1

What does BBV stand for?

- A. Blood Based Virus
- B. Blood Borne Viruses
- C. Basic Blood Viruses

Answer

B. Blood Borne Viruses



Question 2

How is HIV most commonly transmitted?

- A. Unprotected sex
- B. Social contact
- C. Through the air

Question 2

How is HIV most commonly transmitted?

- A. Unprotected sex
- B. Social contact
- C. Through the air

Answer

A. Unprotected sex

Question 3

You will know if someone has a BBV just by looking at them?

A. True

B. False

Question 3

You will know if someone has a BBV just by looking at them?

A. True

B. False

Answer

B. False

Question 4

What does 'window period' mean?

- A. This is the length of time before treatment can start
- B. This is the time it may take between first infection and when a blood test can reliably detect antibodies or the infecting organism itself.
- C. This is when you are waiting to see if the clients have symptoms of HIV

Question 4

What does 'window period' mean?

- A. This is the length of time before treatment can start
- B. This is the time it may take between first infection and when a blood test can reliably detect antibodies or the infecting organism itself.
- C. This is when you are waiting to see if the clients have symptoms of HIV

Answer

- B. This is the time it may take between first infection and when a blood test can reliably detect antibodies or the infecting organism itself.**

Question 5

Antibodies to HIV generally appear within 3 months after infection with HIV?

A. True

B. False

Question 5

Antibodies to HIV generally appear within 3 months after infection with HIV?

A. True

B. False

Answer

A. True

Question 6

What is the main route of transmission for Hepatitis C in the UK?

- A. Sharing razors and toothbrushes
- B. From an infected mother to her baby
- C. Sharing equipment to inject drugs

Question 6

What is the main route of transmission for Hepatitis C in the UK?

- A. Sharing razors and toothbrushes
- B. From an infected mother to her baby
- C. Sharing equipment to inject drugs

Answer

C. Sharing equipment to inject drugs

Question 7

You might need two tests for Hepatitis C?

A. True

B. False

Question 7

You might need two tests for Hepatitis C?

A. True

B. False

Answer

A. True

Question 8

For which BBV is a vaccine available?

- A. HIV
- B. Hepatitis C
- C. Hepatitis B

Question 8

For which BBV is a vaccine available?

- A. HIV
- B. Hepatitis C
- C. Hepatitis B

Answer

C. Hepatitis B

Question 9

BBVs can be transmitted by social contact such as hugging, kissing and shaking hands, sharing cutlery?

A. True

B. False

Question 9

BBVs can be transmitted by social contact such as hugging, kissing and shaking hands, sharing cutlery?

A. True

B. False

Answer

B. False

Question 10

For which BBVs are there effective treatments?

There may be more than one answer

- A. HIV
- B. Hepatitis C
- C. Hepatitis B

Question 10

For which BBVs are there effective treatments?

There may be more than one answer

- A. HIV
- B. Hepatitis C
- C. Hepatitis B

Answer

- A. HIV**
- B. Hepatitis C**
- C. Hepatitis B**

Question 11

Accidental injuries which result in exposure to BBVs can be caused by needles or sharp objects, splashes on broken skin, contamination of eyes, nose or mouth or a bite that breaks the skin.

- A. True
- B. False

Question 11

Accidental injuries which result in exposure to BBVs can be caused by needles or sharp objects, splashes on broken skin, contamination of eyes, nose or mouth or a bite that breaks the skin.

- A. True
- B. False

Answer

A. True